

Contribution ID: 284

Type: Oral Presentation

## Capability of testing the ageing behaviour of incandescent lamps

Friday, 13 July 2012 12:00 (20 minutes)

## Abstract content <br> &nbsp; (Max 300 words)

The ageing behaviour, with respect to Correlated Colour Temperature (CCT), illuminance and voltage changes across a tungsten halogen lamp were measured and analysed. The lamp was current controlled at  $\pm 6.3$  A. Data was collected for 0-25 hours and 240-330 hours of operation. The lamp was simply run continuously, hence the seasoning period for the lamp is included in the data.

During the 0-25 hours of operation, the voltage increased by 0.2%, the current decreased by 0.3%, the illuminance decreased by 6.6% and the CCT increased by 14 K. For the operating time of 240-330 hours, the voltage increased by 0.9%, the current stabilised to 0.2% and the illuminance increased to 3.7%. The CCT was measured up to 130 hours, and had decreased by 43 K from the start of the test.

From these results, it was concluded that in terms of CCT this particular lamp is not stable and should be operated for a period of  $\pm 60$  hours for a maximum change in CCT of 18 K. The illuminance measurements however, show that the lamp stabilises at longer operating times.

## Apply to be<br> consider for a student <br> &nbsp; award (Yes / No)?

No

## Would you like to <br> submit a short paper <br> for the Conference <br> Proceedings (Yes / No)?

Yes

Primary author: Ms GOVENDER, Patricia (CSIR DPSS unit)

Presenter: Ms GOVENDER, Patricia (CSIR DPSS unit)

Session Classification: Photonics

Track Classification: Track C - Photonics