







Contribution ID: 9

Type: Poster Presentations

Influence of varying Cr3+ mol% in MgAl2O4:0.1% Eu3+, x% Cr3+ nanophosphor synthesized by sol-gel process

Tuesday, 5 May 2015 15:15 (1h 45m)

The XRD data revealed that all annealed samples consist of the pure cubic MgAl2O4 structure. The estimated crystallites size were in the range of 12.1-11.0 nm in diameter. SEM results showed that the dopant type and varying the Cr3+ concentration in the co-activated samples influences the surface morphology of the phosphor. The PL results showed that the host, 0.1% Cr3+ and Eu3+ activated nanophosphor emits at different wavelengths. Emission peak at 390 nm is attributed to the band-gap defects in the host material. Emission at 405 is attributed to arise from both the contribution from the host and Cr3+ (4T1 \rightarrow 4A2 transition) emissions. The green emission peak at 565 nm is attributed to arise from either the host or Cr3+ (4T2 \rightarrow 4A2 transition). An emission peak at 574 nm is attributed to the well-known orange emission from 5D0 \rightarrow 7F1 transition in Eu3+ ion, while the emission peak at 619 nm is assigned to the Eu3+ electric dipole from 5D0 \rightarrow 7F2 transition. An emission at 694 nm is attributed to the Cr3+ from 2E \rightarrow 4A2 transition. Co-activating the host with Cr3+ ion quenches the host emission at 390 nm. The CIE color coordinates (see Fig. 2) shows that the emission color can be turned by varying the co-activator concentration.

Are you currently a postgraduate student? (Yes/No)

Yes

At what level of studies are you currently? (Hons/MSc/PhD)

PhD

Please provide the name and email address of your supervisor.

Prof Dejene (dejeneBF@qwa.ufs.ac.za)

Primary author: Mr MOTLOUNG, Setumo Victor (University of the Free State (Qwaqwa Campus))

Co-authors: Prof. DEJENE, Francis (University of the Free State); Prof. SWART, Hendrik (University of the

Free State); Prof. NTWAEABORWA, Odireleng (University of the Free State)

Presenter: Mr MOTLOUNG, Setumo Victor (University of the Free State (Qwaqwa Campus))

Session Classification: Poster

Track Classification: SACPM