

SAIP 2011



Contribution ID : 268

Constraining the Phase Space for Chameleon Dark Energy

Thursday 14 Jul 2011 at 14:15 (00h15')

Content :

A number of solutions to the dark energy problem have been proposed in literature, the simplest is the cosmological constant Λ . But the cosmological constant lacks theoretical explanation for its extremely small value, thus dark energy is more generally modeled as quintessence scalar field rolling down a flat potential. For the quintessence scalar field to be evolving on cosmological scales to day its mass must be of order H_0 , which is the present value of the Hubble constant. A scalar field ϕ whose mass varies with the background energy density was proposed by Khoury and Weltman(2003). This scalar field can evolve cosmologically while having coupling (β) to different matter fields of order unity. Such a scalar field also couples to photons in the presence of an external magnetic field via the ϕF^2 interaction, where F stands for the electromagnetic field strength tensor. The chameleon(ϕ)-photon coupling of this nature causes a conversion of photons to light Chameleon(ϕ) particles and vice versa. In this work we investigate this effect on pulsars, and we constrain the parameter space of this theory.

Level (Hons, MSc, PhD, other)? :

MSc

Consider for a student award (Yes / No)? :

Yes

Short Paper :

Yes

Primary authors : Mr. SIKHONDE, Muzikayise (University of Cape Town)

Co-authors : Dr. WELTMAN, Amanda (University of Cape Town)

Presenter : Mr. SIKHONDE, Muzikayise (University of Cape Town)

Session classification : APSS

Track classification : Track D1 - Astrophysics

Type : Oral Presentation