

# SAIP2012



UNIVERSITEIT VAN PRETORIA  
UNIVERSITY OF PRETORIA  
YUNIBESITHI YA PRETORIA

Contribution ID : 416

## **Computation of Amplified Spontaneous Emission in multi-element laser models**

Friday 13 Jul 2012 at 11:00 (00h20')

### **Abstract :**

Amplified Spontaneous Emission(ASE) negatively effects the performance of some oscillators or amplifiers. Some laser models use numerical multi-element approaches. This approach complicates the computation of the ASE significantly. The three dimensional discrete Radon transform is proposed as a numerical method to compute the integral which describes the ASE radiation. The simulation shows that the use of discrete Radon transform algorithm(s) reduces the computational cost of the ASE integral in some cases. Other properties such as invertibility and geometric accuracy of the Radon transform are investigated. Simulation of the ASE output of a end pumped Ho:YLF gain medium was performed using both a direct integration and the Radon transform method. The results of the simulation show the saturation behaviour and the wavelength dependence on geometry of the system.

### **Award :**

Yes

### **Level :**

MSc

### **Supervisor :**

Daniel Esser, National Laser Center

### **Paper :**

Yes

**Primary authors :** Mr. COLLETT, oliver (National Laser Center)

**Co-authors :** Dr. DANIEL, Esser (National Laser Center)

**Presenter :** Mr. COLLETT, oliver (National Laser Center)

**Session classification :** Photonics

**Track classification :** Track C - Photonics

**Type :** Oral Presentation