

SAIP2013



Contribution ID : 502

Evaluation of the NeQuick model in Southern mid-latitudes using South African co-located GPS and Ionosonde stations data

Wednesday 10 Jul 2013 at 17:40 (01h00')

Abstract :

This work investigates the performance of the NeQuick model in southern mid-latitudes. The NeQuick is used among others for the European Geostationary Navigation Overlay Service (EGNOS), developed to supplement the GNSSs systems by reporting on the reliability and accuracy of the positioning data. It is used by recommendation of the ITU-R, to compute the estimated TEC presumed along the ray path of the signal from satellite to the GNSS receiver. The performance of the NeQuick is evaluated after it is adapted to the local conditions by ingesting the Fof2 and M(3000)F2 recorded by the means of Ionosonde at Hermanus (34.40S; 19.20E, South Africa). It is then used to compute a theoretical TEC above Hermanus and compared to the observed TEC derived from co-located GPS receiver which belongs to the TrigNet network. The TEC is directly extracted from the data stocked by the Gopi GPS-TEC software. To evaluate the model under different geomagnetic contexts we select three days each of quiet and disturbed magnetically according to different solar activity indicators. The results will be useful to advise users of GNSS equipment.

Award :

yes

Level :

PhD

Supervisor :

Dr CILLIERS Pierreemail: pjckilliers@sansa.org.zaSouth African National Space Agency

Paper :

yes

Primary authors : Mr. AHOUA, Sylvain Malan (South African National Space Agency (SANSA) Space science)

Co-authors : Prof. OBROU, Olivier Kouadio (Laboratoire de Physique de L'Atmosphère, Université F.H.B de Cocody, Côte d'Ivoire) ; Dr. HABARULEMA, John Bosco (South African National Space Agency)

Presenter : Mr. AHOUA, Sylvain Malan (South African National Space Agency (SANSA) Space science)

Session classification : Poster2

Track classification : Track D2 - Space Science

Type : Poster Presentation