SAIP2015



Contribution ID: 168

Type: Oral Presentation

Second-order Coulomb excitation effects from the GDR

Tuesday, 30 June 2015 11:30 (20 minutes)

Abstract content
 (Max 300 words)
Formatting &
Special chars

A new empirical formula for the (-2) moment of the photo-absorption cross section, sigma-2, has been determined from the 1988 compilation of Dietrich and Berman. A new fit to the data yields a new empirical formula which is in better agreement with Migdal's original calculation,

and approximately yields a 30% decrease in the polarization potential generated by virtual electric-dipole excitations of states around the giant dipole resonance. The effect of a mass-dependent symmetry energy provides an explanation for deviations from the hydrodynamic model.

Apply to be
 considered for a student
 award (Yes / No)?

No

Level for award
 (Hons, MSc,
 PhD, N/A)?

N/A

Would you like to
 submit a short paper
 for the Conference
 Proceedings (Yes / No)?

Yes

Please indicate whether
this abstract may be
published online
(Yes / No)

Yes

Primary author: Prof. ORCE, Nico (University of the Western Cape)

Presenter: Prof. ORCE, Nico (University of the Western Cape)

Session Classification: NPRP

Track Classification: Track B - Nuclear, Particle and Radiation Physics