



Contribution ID: 114

Type: Oral Presentation

Effect of pH on ZnO nanostructures prepared by chemical bath method

Friday, 3 July 2015 09:40 (20 minutes)

Abstract content
 (Max 300 words)
 http://events.saip.org.za/getFile.py/?target=_blank
 Formatting & Special chars

ZnO powders were prepared by chemical bath method varying the pH using ammonia solution. The effect of pH of the precursor on the structure, morphology, optical and luminescence properties of ZnO nanostructures were investigated. The X-ray diffraction (XRD) patterns of the ZnO nanostructures correspond to the various planes of a single hexagonal ZnO phase. It was observed that the diffraction peaks increase in intensity with an increase in pH. The estimated average grain sizes calculated using the XRD spectra were found to be in the order of 38 ± 1 nm. It was observed that the estimated average grain sizes increases slightly with an increase in pH. The surface morphology study revealed that the grains are flakes-like at low pH (< 6) but flower-like at high pH (12). The UV-Vis spectra showed a red shift with an increase in pH. The band gap energy of ZnO was found to decrease but the luminescence intensities increase with an increase in pH values. The maximum luminescence intensity was found at pH of 12.

Apply to be considered for a student award (Yes / No)?

No

Level for award (Hons, MSc, PhD, N/A)?

PHD

Main supervisor (name and email) and his / her institution

Koao L.F.

Would you like to submit a short paper for the Conference Proceedings (Yes / No)?

Yes

Please indicate whether this abstract may be published online (Yes / No)

Yes

Primary author: Dr KOAO, Lehlohonolo (UFS (Qwa Qwa))

Co-authors: Prof. DEJENE, Birhanu (UFS (Qwa Qwa)); Prof. SWART, Hendrik (UFS (Bloemfontein))

Presenter: Dr KOAO, Lehlohonolo (UFS (Qwa Qwa))

Session Classification: DPCMM

Track Classification: Track A - Division for Physics of Condensed Matter and Materials