

Contribution ID: 124 Type: Oral Presentation

## Characterization of nitrogen-doped carbon nanospheres using electron magnetic resonance

Friday, 15 July 2011 09:00 (15 minutes)

Carbon nanospheres were produced using two different sets of apparatus in the School of Chemistry at the University of the Witwatersrand. Nitrogen was introduced into the samples using a several sources of nitrogen, including pyridine. Electron magnetic resonance (EMR) was used to characterize a range of samples of varying concentrations of nitrogen at room temperature. The spheres doped with nitrogen show a strong paramagnetic peak at <i>>g</i> = 2, indicating that the nitrogen takes up substitutional sites in the carbon matrix. Careful analysis enables us to determine the nitrogen content in each of the samples by integration of the resonance peak, and normalising to the mass of the sample. Comparison with a reference sample allows us the extract the <i>g</i> for each sample. Power saturation experiments show the the relaxation rates of the nitrogen ions are large in all the samples studied.

Level (Hons, MSc, <br > &nbsp; PhD, other)?

other

Consider for a student <br >> &nbsp; award (Yes / No)?

No

Would you like to <br > submit a short paper <br > for the Conference <br > Proceedings (Yes / No)?

Yes

**Primary author:** Dr KEARTLAND, Jonathan (University of the Witwatersrand)

Co-authors: Mr DUBAZANE, Makhosonke (University of the Witwatersrand); Mr MARSICANO, Vincent

(University of the Witwatersrand)

**Presenter:** Dr KEARTLAND, Jonathan (University of the Witwatersrand)

Session Classification: CMPMS1

Track Classification: Track A - Condensed Matter Physics and Material Science