



Contribution ID: 126

Type: Oral Presentation

Mitigating the effect of fake missing energy using Machine learning in the ATLAS experiment

Wednesday, 27 June 2018 11:40 (20 minutes)

The missing transverse momentum in the ATLAS experiment is the momentum imbalance in the plane transverse to the beam axis. That is the resultant of the negative vectorial sum of the momenta of all particles that are involved in the proton-proton collision. A precise measurement of the missing transverse energy is essential for many physics studies at the LHC, such as Higgs boson measurements and dark matter search. The result presented in this study are from the implementation of Boosted Decision tree (BDTs) based on vertex variables and fake/real missing samples. The preliminary results show the BDTs classifiers can improve signal purity to about 50% as compared to the nominal selection.

Please confirm that you have carefully read the abstract submission instructions under the menu item "Call for Abstracts" (Yes / No)

Yes

Consideration for student awards
Choose one option from those below.
N/A
Hons
MSc
PhD

PhD

Supervisor details
If not a student, type N/A.
Student abstract submission requires supervisor permission: please give their name, institution and email address.

Prof. Bruce Mellado, University of the Witwatersrand, Bruce.Mellado@wits.ac.za

Primary authors: Prof. MELLADO, Bruce (University of the Witwatersrand); Mr TOMIWA, Kehinde (University of the Witwatersrand); Dr RUAN, XIFENG (WITS)

Presenter: Mr TOMIWA, Kehinde (University of the Witwatersrand)

Session Classification: Nuclear, Particle and Radiation Physics

Track Classification: Track B - Nuclear, Particle and Radiation Physics