63rd ANNUAL CONFERENCE OF THE SA INSTITUTE OF PHYSICS



Contribution ID: 264

Type: Oral Presentation

Low Pressure Focal Plane Detectors for the K600 :A design study

Tuesday, 26 June 2018 11:40 (20 minutes)

Magnetic spectrometers have proven to be very useful in the world of experimental nuclear and astrophysics. The focal plane detection system instrumenting these spectrometers is instrumental in their success. A new focal plane detection system is envisaged for the K600 QDD magnetic spectrometer at iThemba LABS in Cape Town, South Africa. The existing focal plane detection system, consisting of two multi-wire drift chambers (MWDCs) and plastic scintillators, is designed to detect light ions (H and He isotopes) at medium energies (50-200 MeV). To be detected these particles go through a lot of material before reaching the scintillators and an event is registered. This affects the low energy threshold for operation of the K600. This study will quantify the low energy limitations as well as investigate the material budget for a new low energy detector. A conceptual design for a new focal plane detection system will be explored.

This work is supported by the National Research Foundation South Africa

Please confirm that you
br>have carefully read the
br>abstract submission instructions
br>under the menu item
br>"Call for Abstracts"
br><b/(Yes / No)

Yes

MSc

Supervisor details

-sb>-sb>-student abstract submision
-requires supervisor permission:
-please give their name,
-institution and email address.

Dr Retief Neveling iThemba LABS neveling@tlabs.ac.za

Primary authors: Dr NEVELING, Retief (iThemba LABS); Prof. NTSHANGASE, Sifiso (University of Zulu-

land); Ms KHUMALO, Thuthukile (University of Zululand & iThemba LABS)

Co-author: Ms KHUMALO, Thuthukile (University of Zululand &iThemba LABS)

Presenter: Ms KHUMALO, Thuthukile (University of Zululand & iThemba LABS)

Session Classification: Nuclear, Particle and Radiation Physics

Track Classification: Track B - Nuclear, Particle and Radiation Physics