



Contribution ID: 134

Type: Oral Presentation

## NIR imaging analysis of cluster candidates in the Vela Supercluster

*Tuesday, 9 July 2019 12:00 (20 minutes)*

The aim in this survey is to map the distribution of galaxies in the potential clusters that lie within the newly discovered Vela Supercluster (VSCL) found by Kraan-Korteweg et al. (2017). This supercluster at a redshift of about 18000 km/s appears as extended and massive as the Shapley Supercluster. The VSCL is partly hidden in the Zone of Avoidance (ZoA) and so the Near Infrared (NIR) is the most suitable waveband to probe it, since it is less affected by the dust in the Milky Way. We use NIR images from the IRSF telescope which are  $\sim 2$  magnitude deeper compared to 2MASX. Along with the spatial distribution, we also estimate the number density distribution and derive the luminosity functions of these prospective clusters, which allow us to ascertain their masses and quantify their contribution to the observed bulk flow.

**Apply to be considered for a student award (Yes / No)?**

Yes

**Level for award (Hons, MSc, PhD, N/A)?**

PhD

**Primary author:** Ms HATAMKHANI, Narges (University of Cape town)

**Presenter:** Ms HATAMKHANI, Narges (University of Cape town)

**Session Classification:** Astrophysics

**Track Classification:** Track D1 - Astrophysics