



Contribution ID: 94

Type: Oral Presentation

MLEM reconstruction of multiple point sources for UCT PET detector

Wednesday, 10 July 2019 15:40 (20 minutes)

Department of Physics, University of Cape Town

At UCT, positron imaging techniques are used to investigate systems of flow for science and engineering applications. As an example, positron emission tomography (PET) measurements are performed of the distribution of liquid in 2D flowing foams to investigate bubble coalescence in mineral froth flotation. The impact of the results and the feasibility of more complex measurements, such as extending the results to 3D and multiphase media, are limited by the simplicity of the image reconstruction techniques and uncertainties around the longer range of the positron in the gas phase. The goal of this preliminary study is to develop an advanced image reconstruction technique, namely maximum-likelihood expectation-maximisation (MLEM), for the PET camera configuration at UCT. PET measurements were performed on multiple point surfaces on the surface of a cylinder. The images were reconstructed with both MLEM and a simple back projection algorithm to ascertain the ability of the technique to reconstruct three-dimensional images. This is a promising first step towards the investigation of bubble coalescence in 3D; the next stage of which will be achieved with Géant 4 simulation of the PET camera and a spherical shell radiolabeled with a positron emitting radionuclide.

Apply to be considered for a student award (Yes / No)?

Yes

Level for award (Hons, MSc, PhD, N/A)?

MSc

Primary author: Mr MAHLANGU, Moment (University of Cape Town)

Co-authors: Dr COLE, Katie (University of Cape Town); Dr SPANGLER-BICKELL, Matthew (Nuclear Medicine Unit, IRCCS Ospedale San Raffaele, Milan, Italy); Dr VAN HEERDEN, Michael (iThemba LABS); Dr PETERSON, Steve (University of Cape Town)

Presenter: Mr MAHLANGU, Moment (University of Cape Town)

Session Classification: Applied Physics

Track Classification: Track F - Applied Physics