



Contribution ID: 301

Type: **Poster Presentation**

Selection of a Vortex beam using a Sagnac Interferometer

Optical fields with an embedded phase singularity are referred to as vortex beams as they carry and impart Orbital Angular Momentum (OAM). They have been found to be attractive in various applications such as optical trapping, quantum communications, laser ablation, manipulation of atoms and micro particles and surface structuring. Techniques to select vortex beams vary from spiral phase plates to spatial light modulators to birefringent q-plates to name a few. One interesting approach is the use of interferometric techniques which are known to generate higher order modes from fundamental Gaussian modes. Here we demonstrate experimentally a technique combining a Sagnac Interferometer and an Astigmatic Mode Converter (AMC) to generate a vortex beam. We exploit both the amplitude and phase difference of two superposing Gaussian beams to obtain a pure Hermite Gaussian mode of first order, then propagate it through an AMC to achieve a vortex mode. As a result, the technique presents a potential for high power applications in laser material processing.

Apply to be considered for a student ; award (Yes / No)?

Yes

Level for award;(Hons, MSc, PhD, N/A)?

MSc

Primary author: MEREOTLHE, Maitshoko (MSc Student)

Co-authors: Dr NAIDOO, Darryl (Principal Researcher, Novel Lasers); Prof. FORBES, Andrew (Professor)

Presenter: MEREOTLHE, Maitshoko (MSc Student)

Session Classification: Photonics

Track Classification: Track C - Photonics