



Contribution ID: 279

Type: Oral Presentation

Connecting multi-lepton anomalies at the LHC and Astrophysical observations

Thursday, 29 July 2021 12:30 (15 minutes)

The connection between the multi-lepton anomalies at the Large Hadron Collider and astrophysics can be described by a two Higgs doublet model with an additional singlet scalar (2HDM+S). We make studies on the interaction mechanism of singlet S to dark matter. This is achieved from the annihilation of Dark Matter (DM). We demonstrate that using this model we could also describe the excesses in gamma-ray flux from the galactic centre and the cosmic-ray spectra from AMS-02. Moreover, this study provides indirect searches for new bosons that have never been performed before at the LHC, namely the search for $H \rightarrow SS, S \rightarrow \text{invisible}$ and S decaying into other particles.

Apply to be considered for a student ; award (Yes / No)?

Yes

Level for award;(Hons, MSc, PhD, N/A)?

MSc

Primary author: MALWA, Elias (Wits HEP Group)

Co-authors: BECK, Geoff (University of Witwatersrand); TEMO, Ralekete (School of Physics and Centre for Astrophysics, University of the Witwatersrand); KUMAR, Mukesh (University of the Witwatersrand); MELLADO, Bruce (University of the Witwatersrand)

Presenter: MALWA, Elias (Wits HEP Group)

Session Classification: Nuclear, Particle and Radiation Physics

Track Classification: Track B - Nuclear, Particle and Radiation Physics