



Contribution ID: 4

Type: **Oral**

## **Bio-synthesized P2-Na<sub>0.57</sub>CoO<sub>2</sub> nanoparticles as cathode for aqueous sodium ion battery**

We used aqueous extract obtained from the dry silk of zea mays lea plant to synthesize Na<sub>0.57</sub>CoO<sub>2</sub> nanoparticles and studied same for use as cathode in aqueous Na ion battery (SIB). Structural characterizations by X-ray diffraction (XRD) show that the Na<sub>0.57</sub>CoO<sub>2</sub> can be indexed to the hexagonal structure of the P 6<sub>3</sub>/mmc (no 194) space group with P2 packing phase. The scanning electron microscope (SEM) micrograph of the Na<sub>0.57</sub>CoO<sub>2</sub> nanoparticles (NPs) revealed an agglomerated sheet-like NPs of various sizes mixed with smaller sized spherical and quasi spherical NPs with uneven dimensions. Charge and discharge capacities of about 68 and 57 mA h g<sup>-1</sup> were respectively obtained when cycled at a C-rate of 0.7C using the bio synthesized Na<sub>0.57</sub>CoO<sub>2</sub> and activated carbon as the positive and negative electrode and respectively. The cell retained about 79% of its inceptive capacity at the end of 1000 charge-discharge cycles and maintained about 98% Colombic efficiency from the 200th to the 1000th cycle when cycled at C-rate of 7C. Hence, the bio-synthesized Na<sub>0.57</sub>CoO<sub>2</sub> NPs is a prospective positive electrode material for SIB.

**Primary author:** Dr NWANYA, Assumpta (University of South Africa)

**Presenter:** Dr NWANYA, Assumpta (University of South Africa)