SAIP2013



Contribution ID: 202

Type: Oral Presentation

The effect of chemical pressure on the ferromagnetic (FM) ordering of Ce<i>TX</i>

Wednesday, 10 July 2013 09:00 (20 minutes)

Abstract content
 (Max 300 words)

The transport and thermodynamic properties of Ce<i>TX</i>(<i>T</i> = Au,Cu; <i>X</i> = Ge,Si) compounds have been studied. These well-ordered hexagonal compounds have shown (FM) ordering anomalies in magnetic susceptibility, electrical resistivity and specific heat at FM transition temperature <i>T</i> (10K, 10K and 15K for CeAuGe [1], CeCuGe and CeCuSi [2], respectively). The location of magnetic ordering has been observed to be unstable under the influence of applied magnetic field [2], where the FM ordering has been observed to shift upwards in temperature. However, the application of chemical pressure as observed from physical properties as well as magnetic properties measurements revealed a continuous suppression of <i>T</i>_C, associated with Ce moments, resulting in the FM transition temperature approaching 0K as La content is increased. The calculation of the effective magnetic moment for small La contents was observed to be 2.54 μ _B/mol in agreement with the value of the full magnetic moment for Ce³⁺ ion. Despite the observed suppression of <i>T</i>_C, observed in these dilution compounds, it was observed from powder x-ray diffraction characterization that the crystal structures of the compounds were retained as hexagonal belonging to space group number 186 ((Ce_{1x}La_x)AuGe) and 194 for (Ce_{1-x}La_x)CuGe and (Ce_{1-x}La_x)CuSi. Rietveld refinement profile indicated that the lattice parameters <i>a</i> and <i>c</i> and the volume <i>V</i> of the dilution compounds were increased with the increase in La content. This work presents the first results of the effect of isostructural substitution of Ce with La ((Ce_{1-x}La_x)AuGe; (Ce_{1-x}La_x)CuGe and (Ce_{1-x}La_x)CuSi) having various x contents. Measurements of magnetic susceptibility, electrical resistivity and specific heat for the dilution compounds gave the first evidence of the possibility of non-Fermi liquid behavior as chemical pressure was used to tune ferromagnetism to lower temperatures.

Pöttgen R, Borrmann H and Kremer R K, 1996 J. Magn. Magn. Mater. 152 196
Yang F, Kuang J P, Li J, Bruck E, Nakotte H, de Boer F R, Wu X, Li Z and Wang Y, 1991 J. Appl. Phys. 69 470

Apply to be
 considered for a student
 award (Yes / No)?

Yes

Level for award
 (Hons, MSc,
 PhD)?

PhD

Main supervisor (name and email)
and his / her institution

Would you like to
 submit a short paper
 for the Conference
 Proceedings (Yes / No)?

Yes

Primary author: Ms SONDEZI, Buyi (University of Johannesburg)Presenter: Ms SONDEZI, Buyi (University of Johannesburg)Session Classification: DCMPM2

Track Classification: Track A - Division for Condensed Matter Physics and Materials