



Contribution ID: 343

Type: **Poster Presentation**

## **Ab initio thermodynamic and elastic properties of Pt-Cr binary alloys**

*Wednesday, 13 July 2011 17:00 (2 hours)*

Planewave pseudopotential calculations were conducted to predict the phase stability of Pt-Cr binary alloys. The heats of formation are determined for five different phases, L12, A15, DOC, DO'C and tP16 of Pt<sub>3</sub>Cr and PtCr<sub>3</sub>. We observed that the cubic L12 Pt<sub>3</sub>Cr is the most stable structure in agreement with the experiments. The results for PtCr<sub>3</sub> indicate the negative heat of formation for the A15 phase whereas all the remaining studied phases have positive heats of formation. In addition the phase stability study was performed on two phases, B2 and L10 of the PtCr alloy. L10 phase was found to be more stable compared with the PtCr B2 phase. Elastic constants and moduli were investigated to determine the strength of the Pt-Cr systems. The strength of PtCr L10 is greater than that of B2 phase. The ratio of shear to bulk modulus (G/B) has been used to predict the ductility or the brittleness of the material.

**Level (Hons, MSc,   
 &nbsp; PhD, other)?**

PhD

**Consider for a student   
 &nbsp; award (Yes / No)?**

No

**Would you like to   
 submit a short paper   
 for the Conference   
 Proceedings (Yes / No)?**

Yes

**Primary author:** Mrs TIBANE, Malebo (University of South Africa)

**Co-author:** Prof. NGOEPE, Phuti (University of Limpopo)

**Presenter:** Mrs TIBANE, Malebo (University of South Africa)

**Session Classification:** Poster1

**Track Classification:** Track A - Condensed Matter Physics and Material Science