



Contribution ID: 119

Type: Oral Presentation

## Frequency spectrum of nonlinear electric field structures in a magnetized dusty plasma

Friday, 15 July 2011 09:00 (15 minutes)

A magnetized dusty plasma composed of an adiabatic negatively charged dust fluid, Boltzmann ions and Boltzmann electrons is considered for which coupled nonlinear dust-acoustic and dust-cyclotron waves having sinusoidal, sawtooth or spiky electric field waveforms are found to be supported when charge neutrality is assumed (Maharaj et al, 2008). The focus of this investigation is to make use of a suitable Fast Fourier Transform (FFT) algorithm to decompose the nonlinear waveforms into Fourier components in an attempt to identify the dominant frequency components of the nonlinear structures. The possibility of obtaining oscillon solutions will also be investigated.

**Level (Hons, MSc, &nbsp; PhD, other)?**

Not a student

**Consider for a student &nbsp; award (Yes / No)?**

No

**Would you like to <br> submit a short paper <br> for the Conference <br> Proceedings (Yes / No)?**

Yes

**Primary author:** Dr MAHARAJ, Shimul Kumar (South African National Space Agency (SANSA) Space Science (formally NRF Hermanus Magnetic Observatory))

**Co-authors:** Prof. LAKHINA, Gurbax (Indian Institute of Geomagnetism, New Panvel (W), Navi Mumbai 410218, India); Prof. BHARUTHRAM, Ramesh (University of the Western Cape, Modderdam Road, Bellville 7535); Prof. PILLAY, Sadha (School of Physics, University of KwaZulu-Natal, Private Bag X54001, Durban 4000); Prof. SINGH, Satya Vir (Indian Institute of Geomagnetism, New Panvel (W), Navi Mumbai 410218, India)

**Presenter:** Dr MAHARAJ, Shimul Kumar (South African National Space Agency (SANSA) Space Science (formally NRF Hermanus Magnetic Observatory))

**Session Classification:** APSS

**Track Classification:** Track D2 - Space Science