

Contribution ID: 271

Type: Poster Presentation

Brillouin scattering study on the opto-acoustic anisotropy of SrF3

Wednesday, 5 July 2017 17:10 (1h 50m)

The elastic anisotropy of transparent polymer films and layers can be investigated nondestructively using Brillouin scattering techniques. In this study, an application of Reflection Induced ΘA scattering (RI ΘA) technique is introduced. In this geometry, we can simultaneously obtain RI ΘA scattering and back scattering peaks in one frequency spectrum. Because the shift frequency of 180 scattering peaks are dependent on the refractive index, one can deduce the information of optical anisotropy (birefringence) by comparing the RI ΘA and back scattering peaks. Making use of this idea, the elastic and optical properties (birefringence) of a strontium fluoride (SrF3) crystal are investigated. The refractive index of the SrF3 was then estimated using Brillouin scattering results from this isotropic plane.

Apply to be
br> considered for a student
 award (Yes / No)?

Yes

Level for award

dr> (Hons, MSc,

%nbsp; PhD, N/A)?

MSc

Main supervisor (name and email)
 -br>and his / her institution

Name: Bhekumusa Mathe

Email: Bermuda.Mathe@wits.ac za

Institute: School of Physics University of Witwatersrand

Would you like to
 submit a short paper
 for the Conference
 Proceedings (Yes / No)?

N

Primary authors: Dr MATHE, Bhekumusa (University of the Witwatersrand); Dr WAMWANGI, Daniel (wits

university); DUBE, Hlosani (Wits Masters Student)

Presenter: DUBE, Hlosani (Wits Masters Student)

Session Classification: Poster Session 2

Track Classification: Track A - Division for Physics of Condensed Matter and Materials